


Terminal de Cobre P/ Cabo Flexível


Descrição

Terminal para cabo flexível fabricado em cobre eletrolítico com um acabamento estanhado para melhorar o contacto elétrico. Abertura apropriada para cabos flexíveis.




CÓDIGO	REFERÊNCIA	SECÇÃO (mm²)	ØE (mm)	ØD (mm)	Ød (mm)	W (mm)	B (mm)	L (mm)
7102000605	AF-6-5	6	5.3	5.9	4.0	10.0	18.5	33.6
7102000606	AF-6-6		6.5	5.9	4.0	11.0	18.5	33.6
7102000608	AF-6-8		8.3	5.9	4.0	12.5	18.5	36.3
7102000610	AF-6-10		10.3	6.2	4.0	15.0	18.5	37.3
7102001005	AF-10-5	10	5.3	6.6	4.5	11.0	22.0	39.0
7102001006	AF-10-6		6.5	6.6	4.5	11.0	22.0	39.0
7102001008	AF-10-8		8.3	6.6	4.5	12.5	22.0	39.0
7102001010	AF-10-10		10.3	6.9	4.5	16.0	22.0	43.1
7102001012	AF-10-12		12.7	6.9	4.5	18.0	21.0	43.1
7102001605	AF-16-5	16	5.3	7.5	5.5	11.0	23.0	39.7
7102001606	AF-16-6		6.5	7.5	5.5	11.0	23.0	39.7
7102001608	AF-16-8		8.3	7.5	5.5	12.5	22.0	39.7
7102001610	AF-16-10		10.3	7.5	5.5	16.0	23.0	44.9
7102001612	AF-16-12		12.7	8.1	5.5	18.0	22.0	44.9
7102002505	AF-25-5	25	5.3	9.1	6.7	13.0	28.0	47.2
7102002506	AF-25-6		6.5	9.1	6.7	13.0	28.0	47.2
7102002508	AF-25-8		8.3	9.1	6.7	13.0	28.0	47.2
7102002510	AF-25-10		10.3	9.1	6.7	16.0	29.0	51.9
7102002512	AF-25-12		12.7	9.1	6.7	18.0	28.0	51.9
7102002514	AF-25-14		14.8	9.1	6.7	20.0	28.0	53.9
7102003505	AF-35-5	35	5.3	11.0	8.6	16.0	31.0	52.6
7102003506	AF-35-6		6.5	11.0	8.6	16.0	31.0	52.6
7102003508	AF-35-8		8.3	11.0	8.6	16.0	31.0	52.6
7102003510	AF-35-10		10.3	11.0	8.6	17.0	31.0	56.5
7102003512	AF-35-12		12.7	11.0	8.6	18.0	31.0	56.5
7102003514	AF-35-14		14.8	11.0	8.6	20.0	31.0	58.5
7102003516	AF-35-16		16.5	11.0	8.6	23.0	31.0	60.5

Terminal de Cobre
P/ Cabo Flexível



CÓDIGO	REFERÊNCIA	SECÇÃO (mm²)	ØE (mm)	ØD (mm)	Ød (mm)	W (mm)	B (mm)	L (mm)
7102005005	AF-50-5	50	5.3	12.4	9.5	18.0	32.0	56.0
7102005006	AF-50-6		6.5	12.4	9.5	18.0	32.0	56.0
7102005008	AF-50-8		8.3	12.4	9.5	18.0	32.0	56.0
7102005010	AF-50-10		10.3	12.4	9.5	18.0	32.0	59.0
7102005012	AF-50-12		12.7	12.4	9.5	19.0	32.0	59.0
7102005014	AF-50-14		14.8	12.4	9.5	21.0	34.0	67.8
7102005016	AF-50-16		16.5	12.4	9.5	23.0	34.0	67.8
7102007005	AF-70-5	70	5.3	15.0	12.0	22.0	36.5	67.4
7102007006	AF-70-6		6.3	15.0	12.0	22.0	36.5	67.4
7102007008	AF-70-8		8.3	15.0	12.0	22.0	36.5	67.4
7102007010	AF-70-10		10.3	15.0	12.0	22.0	36.5	67.4
7102007012	AF-70-12		12.7	15.0	12.0	22.0	36.5	67.4
7102007014	AF-70-14		14.8	15.0	12.0	22.0	36.5	70.0
7102007016	AF-70-16		16.5	15.0	12.0	24.0	35.0	70.0
7102009508	AF-95-8	95	8.3	17.0	13.4	25.0	37.5	69.7
7102009510	AF-95-10		10.3	17.0	13.4	25.0	37.5	69.7
7102009512	AF-95-12		12.7	17.0	13.4	25.0	37.5	69.7
7102009514	AF-95-14		14.8	17.0	13.4	25.0	37.5	73.3
7102009516	AF-95-16		16.8	17.0	13.4	25.0	37.5	73.3
7102009520	AF-95-20		20.9	17.0	13.4	28.0	34.5	73.3
7102012008	AF-120-8	120	8.3	19.0	15.0	27.5	38.0	75.0
7102012010	AF-120-10		10.3	19.0	15.0	27.5	38.0	75.0
7102012012	AF-120-12		12.7	19.0	15.0	27.5	38.0	75.0
7102012014	AF-120-14		14.8	19.0	15.0	27.5	38.0	79.0
7102012016	AF-120-16		16.5	19.0	15.0	27.5	38.0	79.0
7102012020	AF-120-20		20.9	19.0	15.0	27.5	38.0	79.0
7102015010	AF-150-10	150	10.3	21.2	16.5	30.8	42.0	82.0
7102015012	AF-150-12		12.7	21.2	16.5	30.8	42.0	82.0
7102015014	AF-150-14		14.8	21.2	16.5	30.8	42.0	82.0
7102015016	AF-150-16		16.5	21.2	16.5	30.8	42.0	86.4
7102015020	AF-150-20		20.9	21.2	16.5	30.8	42.0	86.4
7102018510	AF-185-10	185	10.3	23.0	19.0	34.0	45.0	88.0
7102018512	AF-185-12		12.7	23.0	19.0	34.0	45.0	88.0
7102018514	AF-185-14		14.8	23.0	19.0	34.0	45.0	88.0
7102018516	AF-185-16		16.5	23.0	19.0	34.0	45.0	91.2
7102018520	AF-185-20		20.9	23.0	19.0	34.0	45.0	91.2

Terminal de Cobre
P/ Cabo Flexível



CÓDIGO	REFERÊNCIA	SECÇÃO (mm²)	ØE (mm)	ØD (mm)	Ød (mm)	W (mm)	B (mm)	L (mm)
7102024010	AF-240-10	240	10.3	26.5	21.0	38.6	53.0	106.4
7102024012	AF-240-12		12.7	26.5	21.0	38.6	53.0	106.4
7102024014	AF-240-14		14.8	26.5	21.0	38.6	53.0	106.4
7102024016	AF-240-16		16.5	26.5	21.0	38.6	53.0	106.4
7102024020	AF-240-20		20.9	26.5	21.0	38.6	53.0	106.4
7102030012	AF-300-12	300	12.7	30.0	24.5	43.8	57.0	113.0
7102030014	AF-300-14		14.8	30.0	24.5	43.8	57.0	113.0
7102030016	AF-300-16		16.5	30.0	24.5	43.8	57.0	113.0
7102030020	AF-300-20		20.9	30.0	24.5	43.8	57.0	113.0
7102040012	AF-400-12	400	12.7	35.0	27.0	49.0	59.0	119.0
7102040014	AF-400-14		14.8	35.0	27.0	49.0	59.0	119.0
7102040016	AF-400-16		16.5	35.0	27.0	49.0	59.0	119.0
7102040020	AF-400-20		20.9	35.0	27.0	49.0	59.0	119.0